

Accessories & Quality Management

Works when you do

GeoMax equipment is built to withstand any conditions you run into during your daily work.



GeoMax Accessories

The perfect complements to every GeoMax solution

Scan to find out more on the **Accessories Overview Page**



Works when you do



ZTW100

- Wooden tripod
- Shoulder strap and side clamp screws
- Packaged length 104 cm, extended length to 166 cm
- Weight 5.7 kg



ZTA100

- Aluminium light weight tripod
- Shoulder strap and side clamp screws
- Packaged length 105 cm, extended length 167 cm
- Weight 4.5 kg



CT160

- Aluminium tripod
- Shoulder strap and screws
- Range from 103 cm, up to 167 cm
- Weight 4.5 kg



ZCA102

- Reflector carrier
- Tubular level
- Optical plummet for precise positioning



ZCA100

- Tribrach carrier for GNSS antennas



ZCA101

- Tribrach carrier with stub for prisms



ZPC200

- Telescopic carbon fibre
- Aluminium pole for GNSS
- Extends to 230 cm




ZPC201

- Telescopic carbon fibre
- Aluminium pole for TPS
- Extends to 230 cm



ZPC202

- GNSS pole
- Length 25 cm
- For mounting Zenith receiver on carrier as extension for base setups



ZST100

- Telescopic
- Dual-strut pole support
- Suitable for all GeoMax poles and level staffs



ZPT4

- Mini TPS pole
- Four screwable segments
- Extends to 30 cm
- With a pin

GeoMax Accessories

The perfect complements to every GeoMax solution


Works when you do



ZRP1
360° prism with soft bag



GRZ122
360° prism with 5/8" for GNSS antenna




ZPR100 and ZTP100


- Circular prism with red holder 0-offset
- ZTP100 target plate for precise aiming over long distances is separately available for precise positioning



ZTR101
Standard tribrach without optical plummet



ZMP101
Mini prism with tip




ZTM100

- 6 x 6 cm
- For measurement of surfaces standard EDM



ZDE100
Diagonal eyepiece



ZST101
Tripod-star, for setting up of tripods on hard and slippery surfaces



Li-Ion Batteries

- ZBA301 for Zipp10 Pro/ Zoom40 total stations, 4.4 Ah
- ZBA10 Li-Ion Battery 7.4 V for Zoom10
- ZBA201 for Zoom total stations and Zenith15/25 Pro GNSS, 2.6 Ah
- ZBA400 for Zoom total stations, 4.4 Ah
- ZBA601 for Zenith35 Pro GNSS, 3.4 Ah
- ZBA700 for Zenius5, 3.4 Ah
- ZBA210 for Zenius8, 5.2 Ah

Chargers

- ZCH10 charger & ZAD10 adapter for ZBA10
- ZCH201 charger for ZBA201/400
- ZCH301 charger for ZBA301
- ZCH601 charger for ZBA601
- ZCH700 dual charger for ZBA700



ZCB100
Backstrap for hard shell containers



ZCT102
Hard shell container for two circular prisms, two carriers, two tribrachs



MW24

- Easy-to-use and light road measuring wheel
- Handle activated wheel brake

GSS111

- Four-section telescopic staff
- Provides dual measuring faces
- Bar code and millimetre graduations

GSS113

- Dual face high accuracy fibreglass levelling staff
- Length 3 m
- 1 section
- Barcode/E-Scale cm-graduation
- Circular bubble and handle

CLR102

- Level staff 5 m
- 4 sections
- Front side with E-graduation
- Back side with mm-graduation



FLEXI ROD

- Laser level staff with a mm-scale on front side
- Clamp for slide adapter, with bubble